

ÉQUIPEMENT DE SÉRIE ET OPTIONNEL

Standard and Optional Equipment		GM	GM		MERCEDES		MERCEDES		PROMASTER			
		18'	20'		19'		22'		18'	21'		
MODELS		MX	LX	LDX	LSX	LC	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
S=STANDARD N=NOT AVAILABLE O=OPTIONAL *=EXPLA. NOTE # =MUST CODE OTHER OPTION												
DESCRIPTION												
	SAVANA SERIES 2500 GVWR 3 900 kg (8 600 lb) 4800 V8 VORTEC 279 HP	S	N	N	N	N	N	N	N	N	N	N
	SAVANA SERIES 3500 GVWR 4 355kg (9 600 lb) 4800 V8 VORTEC 279 HP	O	S	S	S	N	N	N	N	N	N	N
	SAVANA 6000 V8 VORTEC	O	O	O	O	N	N	N	N	N	N	N
	PROMASTER SERIES 1500 GVWR 3 886kg(8 550lb) 3600 V6 PENTASTAR 280 HP WHEELBASE 136"	N	N	N	N	N	N	N	N	S	N	N
	PROMASTER SERIES 3500 GVWR 4 241kg(9 350lb) 3600 V6 PENTASTAR 280 HP WHEELBASE 159"	N	N	N	N	N	N	N	N	N	S	S
6	PROMASTER 3000 4 CYL. ECODIESEL TURBO 174 HP / 6 SPEED AUTOMATED MANUAL TRANSMISSION	N	N	N	N	N	N	N	N	O	O	O
	MERCEDES SPRINTER 2500 GVWR 3 886 kg (8 550 lb) 2,1L 4 CYL. TURBO DIESEL	N	N	N	N	S	S	N	N	N	N	N
	MERCEDES SPRINTER 3500 GVWR 5 000 kg (11 030 lb) 2,1L 4 CYL. TURBO DIESEL	N	N	N	N	N	N	S	S	N	N	N
	MERCEDES SPRINTER 3L 6 CYL. TURBO DIESEL	N	N	N	N	O	O	O	O	N	N	N
	MERCEDES SPRINTER 4X4 2500 GVWR 3 886 kg (8 550 lb) 3L 6 CYL. TURBO DIESEL	N	N	N	N	O	O	N	N	N	N	N
	MERCEDES SPRINTER 3500 4X4 GVWR 5 000 kg (11 030 lb) 3L 6CYL. TURBO DIESEL	N	N	N	N	N	N	O	O	N	N	N
8,1	LOCKING DIFFERENTIAL	S	S	S	S	N	N	N	N	N	N	N
8,15	ELECTRONIC STABILITY SYSTEM	S	S	S	S	S	S	S	S	S	S	S
8,2	ALUMINIUM WHEELS	N	N	N	N	O	O	O	O	O	O	O
8,3	CHROMED WHEEL COVERS SET OF 4	O	O	O	O	O	O	S	S	O	O	O
11	FIBERGLASS RUNNING BOARDS	O	S	S	S	N	N	N	N	N	N	N
11,2	BLACK ALUMINIUM RUNNING BOARDS	S	O	O	O	N	N	N	N	N	N	N
11,5	BLACK ALUMINIUM RUNNING BOARDS WITH SLIDING STEP	N	N	N	N	S	S	S	S	S	S	S
12	STORAGE COMPARTMENT IN FIBERGLASS RUNNING BOARD	O#11	S	S	S	N	N	N	N	N	N	N
13	COLOUR OTHER THAN WHITE	O	O	O	O	O	O	O	O	O	O	O
14	TWO-TONE PAINT	O	O	O	O	O	O	O	O	N	N	N
14,1	MATCHING COLORED STRIPES	O	O	O	O	O	O	O	O	O	O	O
15	PIONEER STEREO AM/FM/CD WITH REMOTE, BLUETOOTH AND AUX. INPUT	S	S	S	S	N	N	N	N	O	O	O
15,1	PIONEER GPS NAVIGATION SYSTEM AM FM RADIO, MP3, CD AND DVD PLAYER, BLUETOOTH, 5.8"	O	O	O	O	N	N	N	N	O	O	O
15,3	PIONEER AM FM RADIO CD DVD MP3 PLAYER WITH 5.8" SCREEN	O	O	O	O	N	N	N	N	O	O	O
15,5	BACK UP COLOR CAMERA FOR OPTION 15,1/15,3/15,6	O	O	O	O	O	O	O	O	O	O	O
15,6	BACK UP COLOR CAMERA IN REAR VIEW MIRROR	O	O	O	O	N	N	N	N	O	O	O
16	SWIVEL PASSENGER SEAT	S	S	S	S	N	N	S	S	S	S	S
17	SWIVEL DRIVER SEAT	O	O	S	S	N	N	S	S	O	S	S
17,2	MULTIFUNCTIONAL TOILET BENCH	O	S	N	N	S	S	N	N	O	N	N
18	ELECTRIC OPENING SLEEPER SEAT	O	O	O	O	S	S	S	O	O	O	O
19,1	PORTABLE FOLDING PEDESTAL TABLE 22" X 40"	S	S	S	S	S	S	S	S	S	S	S
19,9	LEFT REAR STORAGE CABINET	S	S	S	S	O	S	O	N	S	S	N
20	REAR HIDE-AWAY TABLE	N	N	S	S	N	N	N	N	S	S	N
21	FRONT DINETTE	N	N	S	S	N	N	S	S	N	S	S
22	OVERHEAD SLIDING DOUBLE BED (48"x76" GM) (46"x76" SPRINTER)	O	O	O	O	O	O	O	O	N	N	O
22,3	FRONT REMOVABLE SINGLE BED	O	O	O	O	O	O	O	O	O	O	O
	QUEEN BED WITH ELECTRICALLY ADJUSTABLE CARGO SPACE UNDERNEATH	N	N	N	N	N	N	N	S	N	N	S
23	REAR SCREEN	O	O	O	O	S	S	S	S	S	S	S
	LARGE EUROPEAN SIDE DOOR SLIDING SCREEN	N	N	N	N	S	S	S	S	S	S	S
23,2	SIDE DOOR SCREEN	O	O	O	O	S	S	S	S	S	S	S
	APPLIANCES (ELECTRICAL AND LPG)	MX	LX	LDX	LSX	LC	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
26	LPG GROUP 23, 28 OR 33 lb HORIZ. TANK/LPG DETECT	O28	S33	S28	S33	S23	S23	S33	S33	O33	S33	S33
27	PORTABLE 1-BURNER STOVE (BUTANE)	S	O	O	O	O	O	O	O	S	O	O
29	2 BURNER LPG FLUSH MOUNT STOVE (LPG NON-REFIL. BOTTLE) (NOT CSA)	O	O	N	O	O	O	N	N	O	N	N
30	2 BURNER LPG FLUSH MOUNT STOVE DI#26	O#26	S	S	S	S	S	S	S	O#26	S	S
33	LPG HEATER 16 000 BTU INCL CO DETECTOR	O#26	S	S	S	S	S	N	N	N	N	N
34	"GASOLINE" HEATER 7 950 BTU INCL CO DETECTOR	S	O	O	O	O	O	O	O	S	S	S
34,2	"GASOLINE" HEATER 13 000 BTU INCL CO DETECTOR	O	O	O	O	O	O	S	S	O	O	O

ÉQUIPEMENT DE SÉRIE ET OPTIONNEL

36	120 V WATER HEATER 3,8 L	S	O	N	O	O	O	N	N	S	N	N
37	LPG WATER HEATER 15 L ELECTRIC IGNITION (W/EXTERNAL SHOWER & BY-PASS.) DI#26	O#26	S	S	S	S	S	S	S	O	S	S
38	INSTANT LPG WATER HEATER	O	O	O	O	O	O	O	O	O	O	O
41	FRIDGE 3.5 ft³ BUILT-IN (12 V COMPRESSOR TYPE)	S	O	S	S	S	O	O	O	S	O	O
41,2	FRIDGE 5.6 ft³ BUILT-IN (12 V COMPRESSOR TYPE) (1 X 3,5 ft³ & 1 X 2,1 ft³)	N	N	N	N	N	N	N	N	N	N	S
41,8	FRIDGE 7ft³ BUILT-IN (12 V COMPRESSOR TYPE) (2 x 3,5 ft³)	N	S	N	N	N	S	S	S	O	S	N
42	MICRO-WAVE OVEN (BUILT-IN)	S	S	S	S	S	S	S	S	S	S	S
	ELECTRICAL	MX	LX	LDX	LSX	LC	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
40	RECESSED LED LIGHTING	S	S	S	S	S	S	S	S	S	S	S
43	120 V 30 A ELECTRICAL INLET	S	S	S	S	S	S	S	S	S	S	S
46	2 X 6 V MAINTENANCE FREE AGM BATTERIES	S	S	S	S	S	S	S	S	S	S	S
46,2	SOLAR PANEL (95 W) WITH REGULATOR	O	O	O	O	O	O	O	O	O	O	O
46,3	SOLAR PANELS (190 W) WITH REGULATOR	O	O	O	O	O	O	O	O	O	O	O
46,5	SOLAR PANELS (285 W) WITH REGULATOR	O	O	O	O	O	O	O	O	O	O	O
46,6	SOLAR PANELS (380 W) WITH REGULATOR	N	N	N	N	N	N	O	O	N	O	O
47	1 500 W MODIFIED SINE WAVE INVERTER WITH 75 AMP CONVERTER / CHARGER	S	S	S	S	S	S	S	S	S	S	S
	1 500 W PURE SINE WAVE INVERTER WITH 55 AMP CONVERTER / CHARGER	O	O	O	O	O	O	O	O	O	O	O
48	MONITOR PANEL (TANKS,LPG BATTERIES)	S	S	S	S	S	S	S	S	S	S	S
48,2	DIGITAL VOLTMETER AND INTERIOR/EXTERIOR THERMOMETER	S	S	S	S	S	S	S	S	S	S	S
	PLUMBING	MX	LX	LDX	LSX	LC	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
49	EXT. FRESH WATER INLET	S	S	S	S	S	S	S	S	S	S	S
50	STAINLESS STEEL SINK / 12 V PUMP	S	S	S	S	S	S	S	S	S	S	S
50,1	GREY WATER TANK	S	S	S	S	S	S	S	S	S	S	S
51	EXTERIOR SHOWER	S	S	S	S	S	S	S	S	S	S	S
51,1	TOILET WASH DOWN SPRAY (NOT CSA)	O	O	S	O	O	O	S	S	O	S	S
51,3	REAR SHOWER CURTAIN	O	S	O	S	S	S	O	O	O	O	O
52	PORTABLE 12 L TOILET WITH PRIVACY CURTAIN	S	N	N	N	N	N	N	N	O	O	O
52,2	CASSETTE TOILET C403 (19,3 L CAPACITY) WITH PRIVACY CURTAIN	O#17,2	S	N	S	S	S	O	N	S	O	N
52,6	FRONT FLUSH TOILET (46L CAPACITY)WITH INTERIOR SHOWER	N	N	S	N	N	N	S	S	N	S	S
	ENTERTAINMENT	MX	LX	LDX	LSX	LC	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
54	TV ANTENNA (ROOF BUILT-IN GM OR ON ROOF SPRINTER, PROMASTER)	S	S	S	S	O	O	O	O	O	O	O
57	HOME THEATER (15" OR 19" LCD TV WITH DVD)	O 15"	O 15"	O 15"	O 15"	O 19"	O 19"	O 19"	O 19"	O 19"	O 19"	O 19"
57,1	DASHBOARD-MOUNTED MULTIFUNCTIONAL FOLDING TABLE	O	O	O	O	O	O	O	O	N	N	N
	COMFORT AND CONVENIENCE	MX	LX	LDX	LSX	LC	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
57,2	ROOF WITH LOW PROFILE CANVAS (EASIER TO USE)	S	S	S	S	N	N	N	N	N	N	N
57,3	ROOF WITH HIGH PROFILE CANVAS (MORE COMFORTABLE FOR SLEEPING ON 2nd FLOOR)	O	O	O	O	N	N	N	N	N	N	N
57,5	TOPS (ELECTRIC ROOF WITH RIGID SIDE WALLS)	O	O	O	O	N	N	N	N	N	N	N
59	DE LUXE AWNING F45 9'10" (3 M)	S	N	N	N	N	N	N	N	N	N	N
60	DE LUXE AWNING F45 11'6" (3,5 M)	N	S	S	S	N	N	N	N	N	N	N
60,1	DE LUXE AWNING F65 10'6" (3,2 M)	N	N	N	N	S	S	N	N	S	N	N
61	DE LUXE AWNING F65 13'1" (4 M)	N	N	N	N	N	N	S	S	N	S	S
62	POWERED ROOF VENT 12 V (MANUAL)	S	S	S	S	S	S	S	S	S	S	S
63	POWERED ROOF VENT 12 V (AUTOMATIC)	O	O	O	O	O	O	O	O	O	O	O
64	ROOF AIR CONDITIONING	O	O	O	O	O	O	O	O	O	O	O
64,1	REMOVABLE REAR WINDOW AIR CONDITIONING (5 250 BTU)	O	O	O	O	N	N	N	N	N	N	N
65	TRAILER HITCH RECEIVER 2"X 2" WITH 4 POLE PLUG	S	S	S	S	S	S	S	S	S	S	S
70	UNIVERSAL ROOF RACK	O	O	O	O	N	N	N	N	N	N	N
71	SLIDING KAYAK ROOF RACK	O	O	O	O	N	N	N	N	N	N	N
72	CSA CERTIFICATION	S	S	N	S	N	N	N	N	N	N	N
76	MUD-FLAPS	O	O	O	O	S	S	S	S	S	S	S
80	HEATER SWITCH IN DASH BOARD (MUST INCLUDE #33,34 OR #34.2)	S	S	S	S	S	S	S	S	S	S	S
	SIZE AND CAPACITY	GM	GM	GM	GM	SPRINTER	SPRINTER	SPRINTER	SPRINTER	PROMASTER	PROMASTER	PROMASTER
	METRE(INCH) AND LITRE	MX	LX	LDX	LSX	LC	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
	OVERALL LENGTH	5,69 (224)	6,2 (244)	6,2 (244)	6,2 (244)	5,9 (232)	5,9 (232)	6,9 (273)	6,9 (273)	5,4 (213)	6,3 (250)	6,3 (250)
	OVERALL WIDTH WITH MIRRORS	2,387 (94)	2,387 (94)	2,387 (94)	2,387(94)	2,43 (95,5)	2,43 (95,5)	2,43 (95,5)	2,43 (95,5)	2,5 (98)	2,5 (98)	2,5 (98)
	REGULAR ROOF EXTERIOR HEIGHT (ROOF CLOSED)	2,43 (95,5)	2,44 (96)	2,44 (96)	2,44 (96)	2,95 (116)	2,95 (116)	2,95 (116)	2,95 (116)	2,8 (109)	2,8 (109)	2,8 (109)
	EXTERIOR HEIGHT (ROOF OPENED)	2,77 (109)	2,77 (109)	2,77 (109)	2,77 (109)	N	N	N	N	N	N	N

ÉQUIPEMENT DE SÉRIE ET OPTIONNEL

EXTERIOR HEIGHT TOPS (ROOF OPENED)	2,64 (104)	2,65 (104,5)	2,65 (104,5)	2,65 (104,5)	N	N	N	N	N	N	N
REGULAR ROOF INTERIOR HEIGHT (ROOF CLOSED)	1,65 (65)	1,65 (65)	1,65 (65)	1,65 (65)	1,93 (76)	1,93 (76)	1,93 (76)	1,93 (76)	1,93 (76)	1,93 (76)	1,93 (76)
INTERIOR HEIGHT (ROOF OPENED)	2,13 (84)	2,13 (84)	2,13 (84)	2,13 (84)	N	N	N	N	N	N	N
INTERIOR HEIGHT TOPS (ROOF OPENED)	1,89 (74,5)	1,90 (75)	1,90 (75)	1,90 (75)	N	N	N	N	N	N	N
WHEEL BASE	3,4 (135)	3,9 (155)	3,9 (155)	3,9 (155)	3,66 (144)	3,66 (144)	4,32 (170)	4,32 (170)	3,45 (136)	4,03 (159)	4,03 (159)
MAIN BED	(54X76)	(54X76)	(51X76)	(51X76)	(70X76)	(54X76)	(70X76)	(60X76)	(55.5x76)	(55.5x76)	(60x76)
2 OPTIONAL SINGLE BEDS	N	N	N	N	(2X26X76)	N	(2X26X76)	(2X26X76)	N	N	(2X28X76)
OPTIONAL OVERHEAD DOUBLE BED	(48X76)	(48X76)	(48X76)	(48X76)	(47X76)	(47X76)	(47X76)	(47X76)	N	N	(48X76)
FRESH WATER TANK (LITRES)	56	56	56	56	72	72	100	100	72	72	100
GREY WATER TANK (LITRES)	46	46	46	46	74	74	74	92	46	92	92
BLACK WATER TANK (LITRES)	12	19,3	46	19,3	19,3	19,3		74	19,3	46	46
FUEL TANK (LITRES)	117,3	117,3	117,3	117,3	92,7	92,7	92,7	46	90,8	90,8	90,8
TOWING CAPACITY WITH LOADED VEHICLE	1 818 kg (4 000 lb)	1 590 kg (3 500 lb)			2 272 kg (5 000 lb)		2 272 kg (5 000 lb)		1 818 kg (4 000 lb)	1 590 kg (3 500 lb)	
PASSENGERS	4	4	4	6	4	4	4	4 à 6	4	4	4 à 6
STORAGE CAPACITY OF BASE MODEL (CUBIC FEET)	85	86	81	86	80	85	86	132	76	92	130