



1378, chemin Filteau
(Highway 20 exit 305)
Saint-Nicolas, Quebec, Canada
G7A 2N4

Phone: 418 836-6664
Toll Free: 1 866-836-6664
Fax: 418 836-5553
Email: info@safaricondo.ca

S = STANDARD
N = NOT AVAILABLE
O = OPTIONAL
* = EXPLA. NOTE
= MUST CODE OTHER OPTION

STANDARD AND OPTIONAL EQUIPEMENT

DESCRIPTION	GM				MERCEDES				PROMASTER		
	18'	20'			19'	22'			18'	21'	
	MX	LX	LDX	LSX	LDX	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
SAVANA SERIES 2500 GVWR 3 900KG(8 600LB) 4300 V6 VORTEC 276 HP TORQUE 298 lb-pi	S	N	N	N	N	N	N	N	N	N	N
SAVANA SERIES 3500 GVWR 4 355KG(9 600LB) 4300 V6 VORTEC 276 HP TORQUE 298 lb-pi	O	S	S	S	N	N	N	N	N	N	N
SAVANA 6000 V8 VORTEC	O	O	O	O	N	N	N	N	N	N	N
PROMASTER SERIES 1500 GVWR 3 886kg(8 550lb) 3600 V6 PENTASTAR 280 HP WHEEL BASE 136"	N	N	N	N	N	N	N	N	S	N	N
PROMASTER SERIES 3500 PNBV 4 241kg(9 350lb) 3600 V6 PENTASTAR 280 HP WHEEL BASE 159"	N	N	N	N	N	N	N	N	N	S	S
MERCEDES SPRINTER 2500 PNBV 4128 kg (9100 lb) 3L 6 CYL. TURBO DIÉSEL	N	N	N	N	S	S	N	N	N	N	N
MERCEDES SPRINTER 3500 PNBV 5 000 kg (11 030 lb) 3L 6 CYL. TURBO DIÉSEL	N	N	N	N	N	N	S	S	N	N	N
MERCEDES SPRINTER 1500 PNBV 3878 KG (8550 lb) 2L 4 CYL. TURBO ESSENCE	N	N	N	N	O	O	N	N	N	N	N
MERCEDES SPRINTER 2500 4X4 PNBV 4128 kg (9100 lb) 3L 6 CYL. TURBO DIÉSEL	N	N	N	N	O	O	N	N	N	N	N
MERCEDES SPRINTER 3500 4X4 PNBV 5 000 kg (11 030 lb) 3L 6 CYL. TURBO DIÉSEL	N	N	N	N	N	N	O	O	N	N	N
LOCKING DIFFERENTIAL	S	S	S	S	N	N	N	N	N	N	N
ELECTRONIC STABILITY SYSTEM	S	S	S	S	S	S	S	S	S	S	S
ALUMINIUM WHEELS	N	N	N	N	O	O	O	O	O	O	O
WHEEL COVERS SET OF 4	O	O	O	O	O	O	S	S	O	O	O
FIBERGLASS RUNNING BOARDS	O	S	S	S	N	N	N	N	N	N	N
BLACK ALUMINIUM RUNNING BOARDS	S	O	O	O	N	N	N	N	N	N	N
BLACK ALUMINIUM RUNNING BOARDS WITH SLIDING STEP	N	N	N	N	S	S	S	S	S	S	S
STORAGE COMPARTMENT IN FIBERGLASS RUNNING BOARD	O#11	S	S	S	N	N	N	N	N	N	N
COLOUR OTHER THAN WHITE	O	O	O	O	O	O	O	O	O	O	O
TWO-TONE PAINT	O	O	O	O	O	O	O	O	N	N	N
MATCHING COLORED STRIPES	O	O	O	O	O	O	O	O	O	O	O
AM/FM RADIO,CD AND AUX, INPUT	S	S	S	S	N	N	N	N	O	O	O
PIONEER GPS NAVIGATION SYSTEM WITH BACK UP CAMERA AM FM RADIO, CD AND DVD PLAYER	O	O	O	O	N	N	N	N	O	O	O
PIONEER AM FM RADIO CD MP3 DVD WITH 5.8" SCREEN	O	O	O	O	N	N	N	N	O	O	O
BACK UP CAMERA WITH DISPLAY IN RADIO SCREEN	O	O	O	O	O	O	O	O	S	S	S
BACK UP CAMERA WITH DISPLAY IN REAR VIEW MIRROR	S	S	S	S	S	S	S	S	N	N	N
SWIVEL PASSENGER SEAT	S	S	S	S	S	S	S	S	S	S	S
SWIVEL DRIVER SEAT	N	N	N	N	S	S	S	S	S	S	S
MULTIFONCTIONAL TOILET BENCH	O	S	N	N	N	S	N	N	O	N	N
ELECTRIC OPENING SLEEPER SEAT	O	O	O	O	S	S	S	O	S	S	O
PORTABLE FOLDING PEDESTAL TABLE 22" X 40"	S	S	S	S	S	S	S	S	S	S	S
REAR LEFT SIDE CABINET	S	S	S	S	S	S	S	N	S	S	N
REAR HIDE-AWAY TABLE	N	N	S	S	S	N	N	N	S	S	N
FRONT DINETTE	N	N	S	S	S	N	S	S	N	S	S
OVERHEAD SLIDING DOUBLE BED (48"x76")	O	O	O	O	N	N	O	O	N	O	O
FRONT REMOVABLE SINGLE BED	O	O	O	O	O	O	O	O	O	O	O
ELECTRIC BED AJUSTABLE IN HEIGHT WITH CARGO SPACE UNDERNEATH	N	N	N	N	N	N	O	S	N	O	S
REAR SCREEN	O	O	O	O	S	S	S	S	S	S	S
LARGE EUROPEAN SIDE DOOR SLIDING SCREEN	N	N	N	N	S	S	S	S	S	S	S
SIDE DOOR SCREEN	O	O	O	O	N	N	N	N	N	N	N

STANDARD AND OPTIONAL EQUIPEMENT

	GM				MERCEDES				PROMASTER		
	18'	20'			19'	22'			18'	21'	
	MODEL										
	MX	LX	LDX	LSX	LDX	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
APPLIANCES (ELECTRICAL AND LPG)											
LPG GROUP 28 OR 33LB HORIZ. TANK/LPG DETECTOR	O28	S33	S28	S33	S33	S33	S33	S33	O33	S33	S33
PORTABLE 1-BURNER STOVE (BUTANE)	S	O	O	O	O	O	O	O	S	O	O
2 BURNER LPG FLUSH MOUNT STOVE (LPG NON-REFIL. BOTTLE) (NOT CSA)	O	O	N	O	N	O	N	N	O	N	N
2 BURNER LPG FLUSH MOUNT STOVE	O#26	S	S	S	S	S	S	S	O#26	S	S
LPG HEATER 16 000 BTU INCL CO DETECTOR	N	N	N	N	N	N	N	N	N	N	N
"GASOLINE" HEATER 7 950 BTU INCL CO DETECTOR	S	S	S	S	S	S	O	O	S	S	S
"GASOLINE" HEATER 13 000 BTU INCL CO DETECTOR	O	O	O	O	O	O	S	S	O	O	O
120 V WATER HEATER 3,8 L	S	O	N	O	O	O	N	N	S	N	N
LPG WATER HEATER 15L ELECTRIC IGNITION (W/EXTERNAL SHOWER & BY-PASS.)	O#26	S	S	S	S	S	S	S	S	S	S
TRUMA AQUAGO LPG INSTANT WATER HEATER (W/EXTERNAL SHOWER & BY-PASS.)	O	O	O	O	O	O	O	O	O	O	O
FRIDGE 3.5 ft³ BUILT-IN (12 V COMPRESSOR TYPE)	S	O	S	S	O	O	O	O	S	O	O
FRIGE 4,3 pi³ BUILT IN (12 V COMPRESSOR TYPE)	N	N	N	N	S	N	N	O	N	N	N
FRIGE 5,6 pi³ BUILT IN (12 V COMPRESSOR TYPE) (1X3,5 & 1X2,1)	N	N	N	N	N	N	N	N	N	N	S
FRIDGE 7ft³ BUILT-IN (12V COMPRESSOR TYPE) (2X 3,5)	N	S	N	N	N	S	S	O	O	S	N
FRIGE 7,8 pi³ BUILT IN (12 V COMPRESSOR TYPE) (1X3,5 & 1X 4,3)	N	N	N	N	N	N	N	S	N	N	N
MICRO-WAVE OVEN (BUILT-IN)	S	S	S	S	S	S	S	S	S	S	S
ELECTRICAL											
RECESSED LED LIGHTING	S	S	S	S	S	S	S	S	S	S	S
120V 30 A ELECTRICAL INLET	S	S	S	S	S	S	S	S	S	S	S
2 6V MAINTENANCE FREE AGM BATTERIES	S	S	S	S	S	S	S	S	S	S	S
SOLAR PANEL (95 W) WITH MPPT REGULATOR	O	O	O	O	O	O	O	O	O	O	O
SOLAR PANELS (190 W) WITH MPPT REGULATOR	O	O	O	O	O	O	O	O	O	O	O
SOLAR PANELS (285 W) WITH MPPT REGULATOR	O	O	O	O	O	O	O	O	O	O	O
SOLAR PANELS (380 W) WITH MPPT REGULATOR	N	N	N	N	N	N	O	O	O	O	O
INVERTER 1 500 W (MODIFIED SINE WAVE) WITH CONVERTER CHARGER 75 AMP	S	S	S	S	N	S	N	N	S	S	S
INVERTER 1 500 W (PURE SINE WAVE) WITH CONVERTER CHARGER 55 AMP.	O	O	O	O	S	O	S	S	O	O	O
MONITOR PANEL (TANKS,LPG BATTERIES)	S	S	S	S	S	S	S	S	S	S	S
DIGITAL VOLTMETER AND INTERIOR THERMOMETER	S	S	S	S	S	S	S	S	S	S	S
PLUMBING											
EXT. FRESH WATER INLET	S	S	S	S	S	S	S	S	S	S	S
STAINLESS STEEL SINK / 12V PUMP	S	S	S	S	S	S	S	S	S	S	S
GREY WATER TANK	S	S	S	S	S	S	S	S	S	S	S
EXTERIOR SHOWER	S	S	S	S	S	S	S	S	S	S	S
TOILET WASH DOWN SPRAY (NOT CSA)	O	O	S	O	S	O	S	S	O	S	S
REAR SHOWER CURTAIN	O	S	O	S	O	S	O	O	O	O	O
PORTABLE 12 L TOILET WITH PRIVACY CURTAIN	S	N	N	N	N	N	N	N	N	N	N
CASSETTE TOILET C403 (19,3L CAPACITY) WITH PRIVACY CURTAIN	O#17,2	S	N	S	O	S	O	N	S	O	N
FRONT FLUSH TOILET (46L CAPACITY)WITH INTERIOR SHOWER (NOT CSA)	N	N	S	N	S	N	S	S	N	S	S
ENTERTAINMENT											
TV ANTENNA (ROOF BUILT-IN GM OR ON ROOF SPRINTER, PROMASTER)	S	S	S	S	O	O	O	O	O	O	O
HOME THEATER (19" HD LCD TV WITH DVD)	N	N	N	N	O 19"	O 19"	O 19"	O 19"	O 19"	O 19"	O 19"
FLIP-UP COMPUTER TABLE	O	O	O	O	O	O	O	O	O	O	O



1378, chemin Filteau
(Highway 20 exit 305)
Saint-Nicolas, Quebec, Canada
G7A 2N4

Phone:
Toll Free:
Fax:
Email:

418 836-6664
1 866-836-6664
418 836-5553
info@safaricondo.ca

S = STANDARD
N = NOT AVAILABLE
O = OPTIONAL
* = EXPLA. NOTE
= MUST CODE OTHER OPTION

STANDARD AND OPTIONAL EQUIPEMENT

	GM				MERCEDES				PROMASTER		
	18'	20'			19'		22'		18'	21'	
	MODEL										
COMFORT AND CONVENIENCE	MX	LX	LDX	LSX	LDX	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
ROOF WITH LOW PROFILE CANVAS (EASIER TO USE)	S	S	S	S	N	N	N	N	N	N	N
ROOF WITH HIGH PROFILE CANVAS	O	O	O	O	N	N	N	N	N	N	N
TOPS (ELECTRIC ROOF WITH RIGID SIDE WALLS)	O	O	O	O	N	N	N	N	N	N	N
DE LUXE AWNING F45 9'10" (3 M)	S	N	N	N	N	N	N	N	N	N	N
DE LUXE AWNING F45 11'6" (3,5 M)	N	S	S	S	N	N	N	N	N	N	N
DE LUXE AWNING F65 10'6" (3,2 M)	N	N	N	N	S	S	N	N	S	N	N
DE LUXE AWNING F65 13'1" (4 M)	N	N	N	N	N	N	S	S	N	S	S
POWERED ROOF VENT 12 V (MANUAL)	S	S	S	S	S	S	S	S	S	S	S
POWERED ROOF VENT 12 V (AUTOMATIC WITH REMOTE)	O	O	O	O	O	O	O	O	O	O	O
MAXFAN POWERED ROOF VENT 12 V (AUTOMATIC WITH REMOTE)	O	O	O	O	O	O	O	O	O	O	O
ROOF AIR CONDITIONING	O	O	O	O	O	O	O	O	O	O	O
REMOVABLE REAR WINDOW AIR CONDITIONING (5 250 BTU)	O	O	O	O	N	N	N	N	N	N	N
TRAILER HITCH RECEIVER 2"X 2" WITH 4 OR 7 WIRE CONNECTOR	S	S	S	S	S	S	S	S	S	S	S
UNIVERSAL ROOF RACK	O	O	O	O	N	N	N	N	N	N	N
SLIDING KAYACK ROOF RACK	O	O	O	O	N	N	N	N	N	N	N
CSA CERTIFICATION	S	S	N	S	N	S	S	S	S	S	S
MUD-FLAPS	O	O	O	O	S	S	S	S	S	S	S
HEATER SWITCH IN DASH BOARD (MUST INCLUDE #33,34 OR #34.2)	S	S	S	S	S	S	S	S	S	S	S
SIZE AND CAPACITY	GM				SPRINTER				PROMASTER		
METRE (INCH) AND LITRE	MX	LX	LDX	LSX	LDX	LX	XL PLUS	XL FLEX	MX	XL PLUS	XL FLEX
OVERALL LENGTH	5,69 (224)	6,2 (244)	6,2 (244)	6,2 (244)	5,9(232)	5,9 (232)	6,9 (273)	6,9 (273)	5,4 (213)	6,3 (250)	6,3 (250)
OVERALL WIDTH WITH MIRROR	2,387 (94)	2,387 (94)	2,387 (94)	2,387(94)	2,43 (95,5)	2,43 (95,5)	2,43 (95,5)	2,43 (95,5)	2,5 (98)	2,5 (98)	2,5 (98)
REGULAR ROOF EXTERIOR HEIGHT (ROOF CLOSED)	2,43 (95,5)	2,44 (96)	2,44 (96)	2,44 (96)	2,95 (116)	2,95 (116)	2,95 (116)	2,95 (116)	2,8 (109)	2,8 (109)	2,8 (109)
EXTERIOR HEIGHT (ROOF OPENED)	2,77 (109)	2,77 (109)	2,77 (109)	2,77 (109)	N	N	N	N	N	N	N
EXTERIOR HEIGHT TOPS (ROOF OPENED)	2,64 (104)	2,65 (104,5)	2,65 (104,5)	2,65 (104,5)	N	N	N	N	N	N	N
REGULAR ROOF INTERIOR HEIGHT (ROOF CLOSED)	1,65 (65)	1,65 (65)	1,65 (65)	1,65 (65)	1,93 (76)	1,93 (76)	1,93 (76)	1,93 (76)	1,93 (76)	1,93 (76)	1,93 (76)
INTERIOR HEIGHT (ROOF OPENED)	2,13 (84)	2,13 (84)	2,13 (84)	2,13 (84)	N	N	N	N	N	N	N
INTERIOR HEIGHT TOPS (ROOF OPENED)	1,89 (74,5)	1,90 (75)	1,90 (75)	1,90 (75)	N	N	N	N	N	N	N
WHEEL BASE	3,4 (135)	3,9 (155)	3,9 (155)	3,9 (155)	3,66 (144)	3,66 (144)	4,32 (170)	4,32 (170)	3,45 (136)	4,03 (159)	4,03 (159)
MAIN BED	(54X76)	(54X76)	(51X76)	(51X76)	(54X76)	(54X76)	(70X76)	(60X76)	(55.5x76)	(55.5x76)	(60x76)
2 SINGLE BEDS OPTION	N	N	N	N	N	N	(2X26X76)	(2X26X76)	N	(2X28X76)	(2X28X76)
OPTIONAL OVERHEAD DOUBLE BED	(48X76)	(48X76)	(48X76)	(48X76)	N	N	N	(47X76)	N	N	(48X76)
FRESH WATER TANK (LITRES)	72	72	72	72	100	72	100	100	72	100	100
GREY WATER TANK (LITRES)	46	46	46	46	90	74	136	92	46	92	92
BLACK WATER TANK (LITRES)	12	19,3	46	19,3		19,3		46	19,3	46	46
FUEL TANK (LITRES)	117,3	117,3	117,3	117,3	92,7	92,7	92,7	92,7	90,8	90,8	90,8
TOWING CAPACITY WITH LOADED VEHICLE	1 818 kg (4 000 lb)	1 590 kg (3 500 lb)						3402 kg (7500 lb)	1 818 kg (4 000 lb)	1 590 kg (3 500 lb)	
PASSENGERS	4	4	4	6	4	4	2 à 4	2 à 6	4	2 à 4	2 à 6
STORAGE CAPACITY OF BASE MODEL (CUBIC FEET)	85	86	81	86	72	87	88	134	76	92	130



safaricondo.ca

1378, chemin Filteau
(Highway 20 exit 305)
Saint-Nicolas, Quebec, Canada
G7A 2N4

Phone:
Toll Free:
Fax:
Email:

418 836-6664
1 866-836-6664
418 836-5553
info@safaricondo.ca

S = STANDARD
N = NOT AVAILABLE
O = OPTIONAL
* = EXPLA. NOTE
= MUST CODE OTHER OPTION